



FEDERAL AVIATION ADMINISTRATION

OE/AAA®

OBSTRUCTION EVALUATION / AIRPORT AIRSPACE ANALYSIS

DESK REFERENCE GUIDE

SUBJECT: Add a new Case Off Airport for Wind Turbines and Met Towers

*You are required to have a registered e-filing account

Prepared by CGH Technologies, Inc. 600 Maryland Ave., SW Suite 800W Washington, DC 20024

All references to software products remain the protected trademarks of their manufacturers. The instructions in this document may reference Microsoft application(s). This is not meant in any way to express a preference for any particular product since there are many different browsers, programs, and operating systems available to the user. For simplicity only, one brand/product is used in the examples that follow.





If you've successfully registered, you can use your OE/AAA account to file your Wind Turbine /Met Tower Notice of Proposed Construction or Alteration.

Note: To file all Off Airport Notice of Proposed Construction or Alteration **except** Wind Turbine /Met Tower, exit this guide and refer to the "Add a New Case Off Airport" desk reference guide.

The OE/AAA electronic filing (e-file) system allows you to:

- Submit an FAA Form 7460-1 via an electronic data screen.
- Generate a map directly from your account to be submitted electronically with your filing.
- Submit project documents.
- Track the status of your case(s) while their going through the study process.

From your OE/AAA Portal Page you have:

- Instant access to your determination, requests for additional information, etc... as they are completed by the FAA.
- The ability to attach surveys, and additional background information directly to your electronic case file(s).

Create a New Case

To create a new case, click the **Add New Case (Off Airport)** link. This will bring up the *Notice of Proposed Construction or Alteration* Page. Complete each section according to the instructions below.



Important: You must complete all required fields (indicated with an asterisk *) to successfully save your case. Missing data will result in a warning message at the top of your page identifying the required information.





Notice of Proposed Construction or Alteration - Off Airport

Add New Case (Off Airport)									
Sponsor (person, company etc. proposing this action)		K		/					
	* Sponsor:	V							
Construction / Alteration Information			Structure Summary						
* Notice Of:			* Structure Type:			\overline{v}			
* Duration:			* Structure Name	:					
if Temporary: Months: Days:			NOTAM Number:						
Work Schedule - Start: (mm/dd/yyyy)			FCC Number:						
West of table Fed			Prior ASN:		▽ -	E Validate Pr	ior		
(mm/od/yyyy)			Minne Ciking			Validate 1 1	101		
*For temporary cranes-Does the permanent structure require To find out, use the Notice Criteria Tool. If separate notice is r If it is not filed, please state the reason in the Description of P	equired, please ensure it is filed.		Micro-Siting:	Yes	ly chack this hav if you	u are re-filing			
State Filing:			*For Wind Turbine/Met Tower-Only check this box if you are re-filing a location previously studied due to micro-siting.						
				The FAA will validate your latitude/longitude coordinates against the prior ASN to ensure the structure has not moved more than 500 feet.					
Structure Details									
Latitude:			Common Frequency Bands						
* Longitude:	· · · · · · · · · · · · · · · · · · ·			Low Freq	High Freq	Freq Unit	ERP	ERP Unit	
* Horizontal Datum:	NAD83 V			698	806	MHz	1000	W	
* Site Elevation (SE):	(nearest foot)			806	824	MHz	500	W	
* Structure Height (AGL):	(nearest foot)			824	849	MHz	500	W	
* Current Height (AGL):	(nearest foot)			851 869	866 894	MHz MHz	500 500	w	
* For notice of alteration or existing provide the current AGL height of the existing structure.				869	894 901	MHz	500	W	
Include details in the Description of Proposal			H	901	902	MHz	7	w	
Minimum Operating Height (AGL): (nearest foot)				930	931	MHz	3500	w	
* For aeronautical study of a crane or construction equipment the maximum height should be listed above as the	(nearest root)			931	932	MHz	3500	w	
Structure Height (AGL). Additionally, provide the minimum operating height to avoid delays if impacts are identified that				932	932.5	MHz	17	dBW	
require negotiation to a reduced height. If the Structure Heigh	rt .			935	940	MHz	1000	W	
and minimum operating height are the same enter the same value in both fields.				940 1850	941 1910	MHz MHz	3500 1640	w	
*** # ** 1.740**				1930	1910	MHz	1640	W	
* Nacelle Height (AGL): * For Wind Turbines 500ft AGL or greater	(nearest foot)			2305	2310	MHz	2000	w	
* D 1 M 1; //: 1;		-		2345	2360	MHz	2000	w	
* Requested Marking/Lighting:	None	_							
Other Audio Visual Warning System(AVWS):			Specific Freque	encies					
* Only check this box if you are proposing the	☐ Yes		Add Specific Free	nuency		Clo	ne Prior A	SN frequencies	
installation and use of an Audio Visual Warning System			The opening the	quency		*Note: Select	ing this lin	k will only add	
* Current Marking/Lighting:	Select One	$\overline{}$				frequency(ies)/j	ure Summ	ary. Additional	
Other	:				adde	frequency(ies)/ ed before submitt	ing to the	FAA if they are	
* Nearest City:						to be conside	ered with y	our new filing.	
* Nearest State:	<u> </u>								
* Description of Location: On the Project Summary page upload any certified survey.	0								
* Description of Proposal:									
K									
Additional Location(s)									
Add New Location(s)									
	1/								

I hereby certify that all of the above statements made by me are true, complete, and correct to the best of my knowledge. In addition, I agree to mark and/or light the structure in accordance with established marking and lighting standards as necessary.







- A. *Sponsor: Select the Sponsor from the dropdown menu. This menu is populated from your My Sponsors list. The registered information will automatically display in your electronic public record as the Sponsor's Representative once the case has been completed and a valid FAA Determination is issued.
- B. *Notice Of: Select the type of proposal. New Construction would be a structure that has not yet been built. Alteration is a change to an existing structure such as a change to the marking and/or lighting or a change to the height. Existing would be a correction to the latitude and/or longitude, a correction to the existing height, or if filing for an existing structure that has never been studied by the FAA.
- C. *Duration: If Permanent, so indicate. If Temporary, enter the estimated length of time the temporary structure will be up in Months/Days.
- D. Work Schedule: (Not a Required Field) Using the calendar icons next to the fields select the date that construction is expected to start and the date that construction should be completed.
- E. State Filing: (Not a Required Field) Indicate if the case has been filed with the state.
- F. *Structure Type: Select "Wind Turbine" or "Met Tower" from the <u>Structure Type</u> drop down list.
- G. *Structure Name: Enter a name for the structure (e.g. T25, WTG #34, Met Tower2, etc...)
- H. FCC Number: (Not a Required Field for WT/MT) If this is an existing tower that has been registered with the FCC, enter the Antenna Structure Registration number.
- I. Prior ASN: (Not a Required Field) If an FAA aeronautical study was previously conducted, enter the prior Aeronautical Study Number. Prior ASN data can be pre-populated into the Notice of Proposed Construction or Alteration-Off Airport form data fields. When the e-filer confirms the Prior ASN data, the following data fields are available for pre-population:
 - Latitude/Longitude
 - Site Elevation
 - Above Ground Level Height (determined AGL from valid prior ASN)
 - Marking/Lighting (Recommended Marking /Lighting from valid prior ASN to requested Marking /Lighting)
- J. Micro-Sitting: (Not a Required Field) only check this box for a Wind Turbine/Met Tower location previously filed that has moved no more than 500 feet from the structure's original location and re-filed for aeronautical study requires a prior ASN to validate the submission meets the criteria to be filed with the FAA as a micro-siting study.





- K. *Latitude/Longitude: Latitude and Longitude must be precise geographic coordinates entered in Degrees, Minutes, and Seconds to the hundredth of a second (e.g. 25-47-4.75 N, 80-19-7.26 W).
- L. *Horizontal Datum: Select either NAD83 or NAD27. North American Datum is a reference from which latitude/longitude measurements are made.
- M. *Site Elevation: Enter the site elevation above mean sea level expressed in whole feet rounded to the nearest foot (e.g. 12' 3" should be entered as 12). This data should match the ground contour elevations for the site.
- N. *Structure Height: Enter the total structure height above ground level in whole feet rounded to the next highest foot (e.g. 399' 3" should be entered as 400). The total structure height shall include anything mounted on top of the structure such as lightning rods, obstruction lights, etc.
- O. *Requested Marking and Lighting: Indicate the type desired.
- P. Audio Visual Warning System (AVWS)
- Q. *Current Marking/Lighting: Indicate the current M/L on the structure; if a new structure, select N/A Proposed Structure.
- R. Current AGL: Required for structures being e-filed as existing or alteration.
- S. Min Operating Height (AGL): (Not a Required Field for WT/MT) * For aeronautical study of a crane or construction equipment the maximum height should be listed above as the Structure Height (AGL). Additionally, provide the minimum operating height to avoid delays if impacts are identified that require negotiation to a reduced height. If the Structure Height and minimum operating height are the same enter the same value in both fields.
- T. Nacelle Height: Required when the WT/MT Structure Height (AGL) is 500 feet or greater.
- U. *Nearest City/State: Enter the name of the nearest city and the actual state where the site will be located.
- V. *Description of Location: Enter a brief description of the actual location of the site including the address or the relationship of the structure to roads, airports, prominent terrain, existing structures, etc.
- W. *Description of Proposal: Enter a complete description that details the nature of the filing.
- X. Add new location: When submitting more than one case (e.g. a wind turbine farm) the following required fields indicated with an asterisk (*) must be completed to successfully save additional locations: G, I, J, K, L, M, N, O, P. Additional rows may be added in increments of 1 thru 5. To remove an additional row, select the **Delete** link.





- Y. Common Frequency Bands: (Not a Required Field for WT/MT) Check any that apply. "Note: Frequencies will not be accepted if your Structure Type is 'Lighting Study'."
- Z. Specific Frequencies: (Not a Required Field for WT/MT) any frequency band not listed in the Common Frequency Bands should be added here. Select the Add Specific Frequency link and enter the Low Frequency, High Frequency, Frequency Unit, Effective Radiated Power (ERP), and ERP Unit. Select [Save] or [Cancel] to be returned to the Case Data Entry page. If an e-filer intends to overlap protected FAA frequencies, specific coordination with the FAA Spectrum Engineering Group will be required. A textbox allows filers to submit rationale for the frequency overlap in the e-filed Notice of Proposed Construction or Alteration-Off Airport form. "Note: Frequencies will not be accepted if your Structure Type is 'Lighting Study'."

AA. <u>Clone Prior ASN frequencies</u> – (*Not a Required Field for WT/MT*) The Prior ASN field must be filled before entering frequencies. This link is displayed after the Specific Frequency Bands section. This link is only available if the e-filer adds a Prior ASN that has frequencies included in the case. When selected the applicable Common Frequency Bands and/or Specific Frequencies from the prior ASN auto populate and are available for edit by the e-filer prior to saving the draft. Once the e-filer saves this data, it becomes part of the current filing and is transmitted to the FAA with the new ASN. The e-filer is permitted to add additional frequencies if necessary after cloned frequencies are prepopulated but duplicate entries are not allowed. "Note: Frequencies will not be accepted if your Structure Type is 'Lighting Study'."

- BB. Selecting the checkbox to accept the certify statement.
- CC. When all required fields are completed, select the **[Save]** button. This will save the case data as a draft and take you to the *Project Summary* screen².

After case data has been saved as a draft, filers are taken to the **Map Verification** screen that displays all cases created on the previous Add New Case(s) Off Airport screen and require Map verification before submission.




iOE/AAA® Internet Obstruction Evaluation / Airport Airspace Analysis Subject: Desk Reference Guide

Add new Case Off Airport for WT and Met Towers








- Select the link labeled View Map to Verify for each case (displayed above the map).
- Review the plotted structure location on the Map (red bulleye).
- Select "Verify Map" (at the bottom of the map) once you have confirmed the structure location or click on the "Structure" link to go back to the saved draft to revise your entered case coordinates.

Note: Once a map is verified, if the e-filer returns to the saved Off Airport data entry draft and re-certifies and saves the data, the filer is required to re-verify the map location prior to submission to the FAA. If the e-filer returns to the saved Off Airport data entry draft [view data] but cancels (does not re-certify the entered data), they won't be required to re-verify the Map.







NOTE: You may continue to the Project Summary screen without verifying your map(s), however, before your case is eligible for submission to the FAA you will be required to verify your plotted location. This function will also be available on the next screen for you to complete later.

When the only or last listed map in a project on the Map Verification screen is verified or if you continues to the Project Summary screen without verifying your map(s) the *Project Summary screen* will be displayed. Towards the right side of the page there will be a <u>Map</u> column and an <u>Actions</u> column. The Actions column contains the **Clone**, **Delete**, and **Upload a PDF** links. The Map column contains the **Verify Map** link.








To map the case, select the **Verify Map** link.

If the crosshairs on the map match with your proposed structure location, select the **[Verify Map]** button. This will save the verified map but will *NOT* submit the case to the FAA. It will also return you to the *Project Summary screen*.

From the Project Summary page filers can verify or re-verify plotted location(s). "To submit your project you must verify the coordinates of each case listed above by verifying the map".




Upload a PDF to the Project
Please upload all supporting case documentation
including the latest certified survey, if analisties,

To verify or re-verify your plotted location from the Project Summary screen Select "Verify Map" or "Re-Verify Map" under the "Map" column header. Once you've confirmed the structure location, select the "Verify Map" button at the bottom of the map or click on the "Cancel" button to return to Project Summary

screen.







Attach Documents to Cases



For Off Airport cases you can upload PDF documents before and after submitting your case if needed.





Upload Documents to a Wind Turbine/Met Tower Project

Saved Wind Turbine/Met Tower project drafts of three (3) or more records (or any combination of the two); require specific document types to be uploaded to successfully e-file a project (after individual maps have also been verified).

Efiler's must upload three specific document types: a "Project Layout map", a "Spreadsheet" and a "WT Data File". The documents must be uploaded using the "Upload a PDF to the Project" link (located on the lower right side of the project summary screen) for a project or three or more; or by individual upload to each case within a one or two case project using the "Upload a PDF" link available beneath the "Actions" header of the same screen. Please note, a WT Data File is not required for Met Tower only submissions.


Draft cases with maps already verified, but pending document upload, are placed in "Waiting" status, awaiting action from the filer to attach specific documents. These cases are released from "Waiting" status after the required documents have been successfully uploaded.

Projects

One or more cases can be grouped into a <u>Project</u>. Projects makes it easier to file, evaluate, manage, and approve related cases.







On the *Project Summary screen* you may select the **Add Another Case to this Project** link to add another case to this project. The cases entered this way will have the same project number.

Clone a Case



Another way to add a case to the project is to clone a new case from an existing case. E-filers can clone cases from the Project Summary screen of cases in their account regardless of the status (i.e. Draft/Submitted). To clone a case, click the **Clone** link. The cloning feature will copy most of the information over into a new *Case Data Entry* screen and link the cases together in a project. You may add as many cloned cases to your project as necessary. Once all of the maps for the project have been verified, the **[Submit]** button will appear on the *Project Summary* screen so that the entire project can be submitted to the FAA.

iOE/AAA® Internet Obstruction Evaluation / Airport Airspace Analysis Subject: Desk Reference Guide Add new Case Off Airport for WT and Met Towers





Delete a Case




You may only delete cases in Draft status. To delete a single case or a case from a project, select the **Delete** link located under the <u>Actions</u> header on the Project Summary screen. This will display the *Confirm Case Deletion* screen. To continue with the delete, select the **[I Confirm]** button to execute the deletion.

Submit to FAA

Note: Before submitting your case/project to the FAA, determine if you need to use the Clone or Delete features.


After the case data has been saved, map(s) verified and Wind turbine/Met Tower document requirements met, the **[Submit]** button will appear on the *Project Summary screen* to allow you to submit the case to the FAA. If you have provided all the information about your case or project, select the **[Submit]** button. This will take you to the *Confirm Project Submission* screen.




Select the **[I Confirm]** button to submit the case or project to the FAA. When the submission is done, *OE/AAA* will display the *Project Submission Success* screen.







The Aeronautical Study Number (ASN) assigned to your filed case(s) and other submission information is displayed. The Project Submission Success screen includes a link to a **state aviation contacts** map to determine if coordination of your proposed activity is necessary with your state aviation department.



Please return to the system at a later date for status updates.